

View Online at <https://aerobasegroup.com/nsn/3020-00-360-7940>

Counterbore Diameter:

Between 2.188 inches and 2.190 inches

Counterbore Depth:

Between 0.185 inches and 0.190 inches

Outside Diameter:

5.780 inches

Overall Length:

Between 1.007 inches and 1.013 inches

Bolt Circle Diameter:

3.750 inches

Bore Diameter:

0.843 inches

Bore Length:

0.375 inches

Drilled Hole Diameter:

0.422 inches

Pitch Diameter:

5.737 inches

Securing Hole Quantity:

3

Face Width:

Between 0.641 inches and 0.647 inches

Design Form:

Webbed

Bore Type:

Straight

Metallic Hardness Rating And Location:

11.0 rockwell c body

Counterbore Feature:

Included

Counterbore Location:

Aa end or bb end

Hole Location:

Located in hub section of sprocket

Keying Facility:

Not included

Securing Method:

Drilled hole

Lightening Hole:

Included

Protruding Hub Characteristic:

Plain

Securing Location:

Aa end

Belt/chain/film Size For Which Designed:

Roller chain

Roller Chain Pitch Type For Which Designed:

Single pitch

Teeth Row Quantity:

1

Teeth Quantity Per Row:

36

Asa Standard Chain Number:

40

Hardness Rating Test Method:

Rockwell

Teeth Hardness Rating:

Between 11.0 rockwell c and 21.0 rockwell c

Bore Bearing:

Not included

Hub External Keyway:

Not included

Tooth Pitch:

0.500 inches

Hub End Outside Diameter And Location:

2.750 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

0.366 inches both ends and 0.372 inches both ends

Material:

Iron, cast

Material:

Iron cast

Style Designator:

Webbed or spoked

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T353-c