

View Online at <https://aerobasegroup.com/nsn/3020-00-363-8008>

Counterbore Diameter:

2.000 inches

Counterbore Depth:

3.500 inches

Groove Depth:

0.645 inches

Groove Width:

0.656 inches

Outside Diameter:

9.010 inches

Overall Length:

4.463 inches

Bolt Circle Diameter:

4.100 inches

Keyway Width:

0.400 inches

Thread Size:

3/8-16

Bore Diameter:

1.060 inches

Bore Length:

4.135 inches

Distance From Center Of Bore To Bottom Of Keyway:

1.175 inches

V Groove Angle In Deg:

37.0

Pitch Diameter:

8.660 inches

Securing Hole Quantity:

2

Material And Location:

Steel

Face Width:

1.655 inches

Design Form:

Webbed

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

2

Counterbore Feature:

Included

Counterbore Location:

Aa end

Hole Location:

Thru pulley body

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Threaded hole

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Standard V-belt Section Designation For Which Designed:

5l

Bore Feature:

Included

Securing Location:

Aa end

Hub End Outside Diameter And Location:

2.886 inches aa end and 3.435 inches bb end

Distance From Outside Flange/rim To Hub End And Location:

2.808 inches both ends

Special Features:

2nd hub end has 4 point ratchet face

Quantity:

1

Surface Treatment:

Paint

Style Designator:

Webbed or spoked

Surface Treatment:

Paint, gray

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T353-a