

View Online at <https://aerobasegroup.com/nsn/3020-00-363-8008>

**Counterbore Diameter:**

2.000 inches

**Counterbore Depth:**

3.500 inches

**Groove Depth:**

0.645 inches

**Groove Width:**

0.656 inches

**Outside Diameter:**

9.010 inches

**Overall Length:**

4.463 inches

**Bolt Circle Diameter:**

4.100 inches

**Keyway Width:**

0.400 inches

**Thread Size:**

3/8-16

**Bore Diameter:**

1.060 inches

**Bore Length:**

4.135 inches

**Distance From Center Of Bore To Bottom Of Keyway:**

1.175 inches

**V Groove Angle In Deg:**

37.0

**Pitch Diameter:**

8.660 inches

**Securing Hole Quantity:**

2

**Material And Location:**

Steel

**Face Width:**

1.655 inches

**Design Form:**

Webbed

**Bore Type:**

Straight

**Bearings:**

Not included

**Groove Quantity:**

2

**Counterbore Feature:**

Included

**Counterbore Location:**

Aa end

**Hole Location:**

Thru pulley body

**Keying Facility:**

Included

**Keying Facility Type:**

Keyway

**Securing Method:**

Threaded hole

**Split Hub Feature:**

Not included

**Web/spoke Relationship To Face Centerline:**

Offset

**Lightening Hole:**

Not included

**Integral Cooling Vane:**

Not included

**Groove Shape:**

V

**Standard V-belt Section Designation For Which Designed:**

5l

**Bore Feature:**

Included

**Securing Location:**

Aa end

**Hub End Outside Diameter And Location:**

2.886 inches aa end and 3.435 inches bb end

**Distance From Outside Flange/rim To Hub End And Location:**

2.808 inches both ends

**Special Features:**

2nd hub end has 4 point ratchet face

**Quantity:**

1

**Surface Treatment:**

Paint

**Style Designator:**

Webbed or spoked

**Surface Treatment:**

Paint, gray

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T353-a