## NSN 3020-00-368-8238

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-368-8238
Attachment Method:
Clamp
Pitch Diameter:
0.8750 inches
Teeth Quantity:
84
Bore Style:
Plain both ends
Outside Diameter:
0.894 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.062 inches second end
Face Width:
0.104 inches
Bore Diameter:
0.120 inches both ends
Hub Style Designator:
Split first end
Hub Diameter:
0.375 inches second end
Clamping Surface Length:
0.172 inches first end
Precision Classification:
Quality number 10
Material:
Steel comp 303
Material Specification:
Qq-s-764, type 303, cond a federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-std-171, finish no. 5.4.1 military specification single treatment response
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:

## NSN 3020-00-368-8238

Spur Antibacklash Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.