NSN 3020-00-376-4229

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-376-4229

Outside Diameter:

7.718 inches

Overall Length:

1.813 inches

Keyway Width:

0.375 inches

Thread Size:

2-3/8 in.-16

Bore Diameter:

1.250 inches

Bore Length:

1.813 inches

Distance From Center Of Bore To Bottom Of Keyway:

0.8125 inches

Pitch Diameter:

7.6806 inches

Securing Hole Quantity:

2

Furnished Items And Quantity:

Setscrews, 2

Face Width:

0.344 inches

Guide:

Not included

Design Form:

Plain

Bore Type:

Straight

Counterbore Feature:

Not included

Hole Location:

Located 90 degrees from keyway, located on top of keyway

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Threaded hole

Lightening Hole:

Not included

Protruding Hub Characteristic:

Plain

NSN 3020-00-376-4229

Sprocket Wheel - Page 2 of 2



Securing Location: Aa end Belt/chain/film Size For Which Designed: Roller chain **Roller Chain Pitch Type For Which Designed:** Single pitch **Teeth Row Quantity:** 1 Teeth Quantity Per Row: 37 Asa Standard Chain Number: 50 Hardness Rating Test Method: Not rated **Bore Bearing:** Not included Hub External Keyway: Not included **Tooth Pitch:** 0.625 inches Hub End Outside Diameter And Location: 2.000 inches both ends Distance From Outside Flange/rim To Hub End And Location: 1.031 inches aa end and 0.438 inches bb end Material: Steel, cast Material: Steel Quantity: 1 **Style Designator:** Plain Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: T353-c