## NSN 3020-00-378-6406

Spur Gear - Page 1 of 2



)6

View Online at https://aerobasegroup.com/nsn/3020-00-378-640
Body Style:
Webbed, offset, with lightening holes
Attachment Method:
Mounting hole
Pitch Diameter:
Between 3.5000 inches and 3.5005 inches
Teeth Quantity:
84
Bore Style:
W/counterbore both ends
Backlash Designation:
Grade e
Mounting Hole Thread Series Designator:
Unc axially through body, first end
Mounting Hole Thready Qty Per Inch (tpi):
40 axially through body, first end
Mounting Hole Type And Quantity:
3 threaded axially through body, first end
Nominallength:
0.593 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.250 inches first end
Face Width:
0.125 inches
Bore Diameter:
1.000 inches both ends
Counterbore Depth:
0.250 inches both ends
Hub Diameter:
1.375 inches second end
End Length:
0.250 inches first end
Bolt Hole Circle Diameter:
3.093 inches axially through body, first end
Style Designator:
Protruding hubs
Shalf Life:

N/a

## NSN 3020-00-378-6406

Spur Gear - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A27300