## NSN 3020-00-378-8901



Sprocket Wheel - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-378-8901 **Outside Diameter:** 3.109 inches **Overall Length:** 1.141 inches **Keyway Width:** 0.156 inches **Bore Diameter:** 0.750 inches **Bore Length:** 1.141 inches Distance From Center Of Bore To Bottom Of Keyway: 0.453 inches **Drilled Hole Diameter:** 0.190 inches Pitch Diameter: 2.809 inches **Securing Hole Quantity: Face Width:** Between 0.145 inches and 0.165 inches **Design Form:** Plain **Bore Type:** Straight **Metallic Hardness Rating And Location:** 45.0 rockwell c body and 63.0 rockwell c body **Counterbore Feature:** Not included **Lubrication Mode:** No visible means **Hole Location:** 17/64 in. From face of hub to center of hole **Keying Facility:** Included **Keying Facility Type:** Keyway **Securing Method:** Drilled hole **Lightening Hole:** Not included

**Protruding Hub Characteristic:** Plain

## **NSN 3020-00-378-8901** Sprocket Wheel - Page 2 of 2



Securing Location:
Aa end
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
14
Asa Standard Chain Number:
150-1
Hardness Rating Test Method:
Rockwell
Teeth Hardness Rating:
Between 45.0 rockwell c and 63.0 rockwell c
Bore Bearing:
Included
Hub External Keyway:
Not included
Tooth Pitch:
0.375 inches
Hub End Outside Diameter And Location:
1.750 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
0.986 inches bb end
Material:
Steel, b1113 or c1035
Material:
Steel, b1113 or c1035
Quantity:
1
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c