## NSN 3020-00-379-6306



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-379-6306 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 2.8125 inches **Teeth Quantity:** 135 **Bore Style:** W/counterbore both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 3 threaded transversely through hub, first end **Outside Diameter:** 2.854 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.219 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.2037 inches both ends **Counterbore Depth:** 0.125 inches second end **Counterbore Diameter:** 1.375 inches second end **Hub Style Designator:** 1 step first end **End Length:** 0.094 inches first end **Precision Classification:** Quality number 12 **End Diameter:** 0.500 inches first end

First Step Length: 0.125 inches first end

## NSN 3020-00-379-6306

Spur Gear - Page 2 of 2

**Fiig:** A27300



First Step Diameter:
1.625 inches first end
Mounting Hole Diameter:
0.201 inches axially through body, first end
Material:
Steel comp 416
Material Specification:
Fed standard 66 federal standard single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No