NSN 3020-00-379-6308

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-379-6308

Body Style: Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 3.1667 inches **Teeth Quantity:** 152 **Bore Style:** W/counterbore both ends Mounting Hole Thread Series Designator: Unc axially through body, first end Mounting Hole Thready Qty Per Inch (tpi): 40 axially through body, first end Mounting Hole Type And Quantity: 3 threaded axially through body, first end Nominallength: 0.281 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.156 inches first end Face Width: 0.125 inches **Bore Diameter:** 0.204 inches both ends End Length: 0.063 inches first end **Precision Classification:** Quality number 12 End Diameter: 0.500 inches first end First Step Length: 0.094 inches first end First Step Diameter: 1.625 inches first end **Bolt Hole Circle Diameter:** 0.938 inches axially through body, first end Material: Steel comp 416

NSN 3020-00-379-6308

Spur Gear - Page 2 of 2



Material Specification:

Aisi 416/sae 51416 assn standard single material response

Surface Treatment:

Passivate

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300