NSN 3020-00-385-7769



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-385-7769 **Body Style:** Webbed, with lightening holes **Spline Quantity:** 16 both ends Pitch Diameter: 10.0000 inches **Teeth Quantity:** 60 **Bore Style:** Straight spline both ends **Backlash Designation:** Grade b **Hardness Rating:** 30.0 rockwell c and 32.0 rockwell c **Outside Diameter:** 10.249 inches Nominallength: 3.000 inches **Tooth Form:** Stub Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.438 inches both ends Face Width: 2.125 inches **Counterbore Depth:** 1.125 inches first end **Counterbore Diameter:** 2.502 inches first end **Hub Style Designator:** Plain both ends **Hub Diameter:** 3.250 inches second end **Precision Classification:** Quality number 12 Spline minor dia. 2.149 in. Nom

Special Features:
Spline minor dia. 2.149 in. N
Material:
Steel
Surface Treatment:
Oxide

NSN 3020-00-385-7769

Spur Gear - Page 2 of 2



Surface Treatment Spec	ific	ation:
------------------------	------	--------

Mil-c-13924, class 2 military specification single treatment response

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-c-13924 spec.