# NSN 3020-00-385-7971

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-385-7971

# Body Style:

Webbed, with lightening holes

# Spline Quantity:

16 both ends

# Pitch Diameter:

10.0000 inches

# Teeth Quantity:

60

## Bore Style:

Straight spline both ends

# **Backlash Designation:**

Grade c

Hardness Rating:

30.0 rockwell c and 32.0 rockwell c

# Outside Diameter:

# 10.249 inches

Nominallength:

3.000 inches

#### Tooth Form:

Standard

## Pressure Angle:

20.0000 degrees

## Distance Between Body Face And Protruding Hub End:

0.438 inches both ends

## Face Width:

2.125 inches

#### **Counterbore Depth:**

1.125 inches first end

#### **Counterbore Diameter:**

2.502 inches first end

#### Hub Style Designator:

Plain both ends

#### Hub Diameter:

3.250 inches second end

#### **Precision Classification:**

Quality number 9

#### **Special Features:**

Spline minor dia. 2.149 in. Nom

Material:

Steel

#### Surface Treatment:

Oxide

# NSN 3020-00-385-7971

Spur Gear - Page 2 of 2



### Surface Treatment Specification:

Mil-c-13924, class 2 military specification single treatment response

### Style Designator:

Protruding hubs

Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-c-13924 spec.