## NSN 3020-00-389-3682

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-389-3682

| g   |
|---|
| Body Style:   |
| Plain, with lightening holes  |
| Attachment Method:  |
| Mounting hole   |
| Pitch Diameter:   |
| 3.1245 inches   |
| Teeth Quantity:   |
| 100   |
| Bore Style:   |
| W/counterbore counter bore, second end  |
| Mounting Hole Type And Quantity:  |
| 6 plain transversely through hub, first end   |
| Outside Diameter:   |
| 3.188 inches  |
| Tooth Form:   |
| Standard  |
| Pressure Angle:   |
| 20.0000 degrees   |
| Distance Between Body Face And Protruding Hub End:  |
| 0.595 inches first end  |
| Face Width:   |
| 0.187 inches  |
| Bore Diameter:  |
| 0.250 inches counter bore, second end   |
| Counterbore Depth:  |
| 0.156 inches counter bore, second end   |
| Counterbore Diameter:   |
| 1.750 inches counter bore, second end   |
| Hub Style Designator:   |
| Threaded first end  |
| Mounting Hole Diameter:   |
| 0.250 inches transversely through hub, first end  |
|   |
| Bolt Hole Circle Diameter:  |
| Bolt Hole Circle Diameter:  1.250 inches transversely through hub, first end  |
|   |
| 1.250 inches transversely through hub, first end  |
| 1.250 inches transversely through hub, first end  Material:   |
| 1.250 inches transversely through hub, first end  Material:  Copper alloy   |
| 1.250 inches transversely through hub, first end  Material:  Copper alloy  Material Specification:  |
| 1.250 inches transversely through hub, first end  Material:  Copper alloy  Material Specification:  Qq-b-746 federal specification single material response |

N/a

## NSN 3020-00-389-3682

Spur Gear - Page 2 of 2



|   | 1  | :. | ~  | 84  |    |    |      |   |
|---|----|----|----|-----|----|----|------|---|
| ι | JN | IT | UΤ | IVI | ea | Sι | ire: | • |

--

Demilitarization:

No

Fiig:

A27300