

View Online at <https://aerobasegroup.com/nsn/3020-00-391-0924>

**Body Style:**

Webbed, with lightening holes

**Attachment Method:**

Mounting hole

**Pitch Diameter:**

16.0000 inches

**Teeth Quantity:**

80

**Bore Style:**

W/ keyway both ends

**Mounting Hole Thread Series Designator:**

Unc transversely through hub, first end

**Hardness Rating:**

10.0 rockwell c and 20.0 rockwell c

**Mounting Hole Thread Size:**

0.500 inches transversely through hub, first end

**Mounting Hole Type And Quantity:**

1 threaded transversely through hub, first end

**Outside Diameter:**

16.043 inches

**Teeth Type:**

Single helix

**Tooth Form:**

Stub

**Tooth Direction:**

Left

**Pressure Angle:**

20.0000 degrees

**Helix Angle:**

14.9167 degrees

**Face Width:**

2.500 inches

**Bore Diameter:**

3.000 inches both ends

**Keyway Width:**

0.377 inches both ends

**Distance From Bore Center To Keyway Bottom:**

1.696 inches both ends

**Hub Style Designator:**

Plain both ends

**Hub Diameter:**

4.500 inches second end

**Special Features:**

Fig 1 stamped on side of gear face on center line of tooth space, lower vertical center line, fig 2 stamped on side @of gear face on center line of tooth space 171 degrees ccw from fig 1

**Material:**

Steel comp 1035

**Material Specification:**

66 federal standard single material response and aisi/sae 1035 assn standard single material response

**Style Designator:**

Flush hub

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A27300