# NSN 3020-00-391-0927

Helical Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-391-0927

#### **Body Style:**

Webbed, with lightening holes

#### **Pitch Diameter:**

10.8000 inches

# **Teeth Quantity:**

54

# Bore Style:

Plain both ends

#### Hardness Rating:

10.0 rockwell c and 20.0 rockwell c

### **Outside Diameter:**

11.084 inches

#### **Teeth Type:**

Single helix

#### **Tooth Form:**

Standard

Tooth Direction:

Left

#### Pressure Angle:

20.0000 degrees

#### **Helix Angle:**

27.3217 degrees

# Distance Between Body Face And Protruding Hub End:

0.688 inches both ends

#### Face Width:

2.000 inches

#### Bore Diameter:

2.0000 inches both ends

#### Hub Style Designator:

1 step both ends

#### End Length:

1.375 inches both ends

#### End Diameter:

2.997 inches both ends

#### First Step Length:

0.063 inches both ends

### First Step Diameter:

4.125 inches both ends

#### **Special Features:**

Two counterweights, bolts, nuts, oil holes in hub, fig 1 stamped between teeth on side of gear 170 degrees 57 min ccw from upper center line, fig 4 stamped between teeth on side @of gear 73 degrees @20 min ccw from fig 1

#### Material:

Steel

# NSN 3020-00-391-0927

Helical Gear - Page 2 of 2



# Material Specification:

Mil-s-890, class b military specification single material response

# Style Designator:

Protruding hubs

Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-890 spec.