NSN 3020-00-396-1304



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-396-1304 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.2500 inches **Teeth Quantity:** 12 **Bore Style:** Plain both ends **Backlash Designation:** Grade c **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 plain transversely through hub, first end and 1 threaded transversely through hub, first end **Outside Diameter:** 0.292 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Face Width:** 0.281 inches **Bore Diameter:** 0.125 inches both ends **Precision Classification:** Quality number 10 **Mounting Hole Diameter:** 0.029 inches transversely through hub, first end **Special Features:** Mtg holes 90 degs apart centered 0.094 in. From gear face Material: Steel comp 416 **Material Specification:** Qq-s-763, class416 federal specification single material response **Surface Treatment: Passivate**

Hubless

Style Designator:

NSN 3020-00-396-1304

Spur Gear - Page 2 of 2



1 setscrew

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300