NSN 3020-00-399-6803

Internal Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-399-6803

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
30.0000 inches
Teeth Quantity:
300
Backlash Designation:
Grade a
Features Provided:
Alignment hole
Mounting Hole Thread Series Designator:
Unf axially through body, first end
Mounting Hole Thready Qty Per Inch (tpi):
16 axially through body, first end
Hardness Rating:
26.0 rockwell c and 32.0 rockwell c
Mounting Hole Thread Size:
0.750 inches axially through body, first end
Mounting Hole Type And Quantity:
1 countersunk axially through body, first end and 12 threaded axially through body, first end
Outside Diameter:
33.9240 inches
Nominallength:
1.500 inches
Teeth Type:
Spur
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Face Width:
0.625 inches
Counterbore Depth:
0.437 inches between body and flange
Counterbore Diameter:
32.888 inches between body and flange
Mounting Hole Diameter:
0.374 inches axially through body. first end

Bolt Hole Circle Diameter:

31.389 inches axially through body, first end

NSN 3020-00-399-6803

Internal Gear - Page 2 of 2

Material:

Mil-s-13048 spec.



Steel
Material Specification:
Mil-s-13048 military specification single material response
Style Designator:
Recessed ring
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300
Mil-std (military Standard):