
NSN 3020-00-400-0126

Sprocket Wheel - Page 1 of 2





Outside Diameter:

7.580 inches

Overall Length:

1.437 inches

Bore Diameter:

Between 2.8338 inches and 2.8346 inches

Bore Length:

1.437 inches

Pitch Diameter:

6.762 inches

Face Width:

0.812 inches

Design Form:

Plain

Bore Type:

Straight

Metallic Hardness Rating And Location:

35.0 rockwell c body and 45.0 rockwell c body

Counterbore Feature:

Not included

Keying Facility:

Not included

Lightening Hole:

Not included

Protruding Hub Characteristic:

Plain

Belt/chain/film Size For Which Designed:

Roller chain

Roller Chain Pitch Type For Which Designed:

Single pitch

Teeth Row Quantity:

1

Teeth Quantity Per Row:

12

Hardness Rating Test Method:

Rockwell

Teeth Hardness Rating:

Between 35.0 rockwell c and 45.0 rockwell c

Bore Bearing:

Not included

Hub External Keyway:

Not included

NSN 3020-00-400-0126

Sprocket Wheel - Page 2 of 2



Tooth Pitch:

1.750 inches

Hub End Outside Diameter And Location:
3.500 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.312 inches both ends

Material:

Steel, fed standard no. 66, aisi 1045 or sae 1045

Material:

Steel, fed standard no. 66, aisi 1045 or sae 1045

Style Designator:

Plain

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-c