## NSN 3020-00-406-3527

Spur Gear - Page 1 of 2

**Body Style:** 



View Online at https://aerobasegroup.com/nsn/3020-00-406-3527

Plain, solid
Attachment Method:
Clamp
Pitch Diameter:
1.1250 inches
Teeth Quantity:
72
Bore Style:
Plain both ends
Backlash Designation:
Grade d
Outside Diameter:
1.156 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.234 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.500 inches first end
Precision Classification:
Quality number 12
Special Features:
Hub has 2-56 unc-2a by 0.750 in. Deep in. Lg screw hole
Material:
Steel comp 303
Material Specification:
Qq-s-763, class 303, cond a federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072, finish e300 military specification single treatment response
Style Designator:
Protruding hub

## NSN 3020-00-406-3527

Spur Gear - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A27300	

Mil-std (military Standard):

Shelf Life:

Mil-f-14072 spec.