## NSN 3020-00-406-3528

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-406-3528

Body Style:
Plain, with lightening holes
Attachment Method:
Clamp
Pitch Diameter:
2.5312 inches
Teeth Quantity:
162
Bore Style:
Plain both ends
Backlash Designation:
Grade d
Outside Diameter:
2.562 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.234 inches first end
Face Width:
0.234 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Split first end
Hub Diameter:
0.500 inches first end
Clamping Surface Length:
0.234 inches first end
Precision Classification:
Quality number 12
Special Features:
1 clamp screw furnished
Material:
Steel comp 303
Material Specification:
Qq-s-763, class 303, cond a federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:

Mil-f-14072, finish e300 military specification single treatment response

## NSN 3020-00-406-3528

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
 Demilitarization:
Demilitarization:

Mil-std (military Standard):

Mil-f-14072 spec.