NSN 3020-00-409-6179

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-409-6179

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
Between 3.9990 inches and 4.0000 inches
Teeth Quantity:
128
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc axially through body, first end
Mounting Hole Thread Size:
0.151 inches axially through body, first end
Mounting Hole Type And Quantity:
8 threaded axially through body, first end and 3 threaded axially through body, first end
Outside Diameter:
4.061 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.435 inches first end
Face Width:
0.250 inches
Bore Diameter:
2.250 inches both ends
Hub Style Designator:
Plain second end
Hub Diameter:
2.475 inches second end
End Length:
0.240 inches first end
End Diameter:
3.000 inches first end
First Step Length:
0.195 inches first end
First Step Diameter:
0.313 inches first and

3.500 inches axially through body, first end and 2.438 inches axially through body, first end

Bolt Hole Circle Diameter:

NSN 3020-00-409-6179

Spur Gear - Page 2 of 2

Fiig: A27300



Material:
Steel comp 303
Material Specification:
Qq-s-764, cond a federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No