## NSN 3020-00-410-0035

Sprocket Wheel - Page 1 of 2

**Counterbore Diameter:** 

7.000 inches



View Online at https://aerobasegroup.com/nsn/3020-00-410-0035

Counterbore Depth:
0.063 inches
Outside Diameter:
18.438 inches
Overall Length:
1.000 inches
<b>Bolt Circle Diameter:</b>
5.625 inches
Bore Diameter:
Between 4.621 inches and 4.625 inches
Bore Length:
1.000 inches
Drilled Hole Diameter:
0.531 inches
Pitch Diameter:
17.930 inches
Securing Hole Quantity:
6
Face Width:
0.812 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Included
Counterbore Location:
Aa end
Hole Location:
Located through hub equally spaced
Keying Facility:
Not included
Securing Method:
Drilled hole
Lightening Hole:
Included
Protruding Hub Characteristic:
Plain
Securing Location:
Bb end

## **NSN 3020-00-410-0035** Sprocket Wheel - Page 2 of 2



Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
34
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
1.654 inches
Hub End Outside Diameter And Location:
16.250 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.094 inches both ends
Material:
Steel, fed standard no 66, aisi or sae 1017
Material:
Steel, fed standard no 66, aisi or sae 1017
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
Т353-с