NSN 3020-00-411-2475

Groove Pulley - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-411-2475

| Counterbore Diameter: |
|---|
| 4.125 inches |
| Counterbore Depth: |
| 1.312 inches |
| Groove Depth: |
| 0.625 inches |
| Groove Width: |
| 0.500 inches |
| Outside Diameter: |
| 5.875 inches |
| Overall Length: |
| 3.000 inches |
| Keyway Width: |
| 0.188 inches |
| Thread Size: |
| 3/8-16 |
| Bore Diameter: |
| 1.500 inches |
| Bore Length: |
| 1.688 inches |
| Distance From Center Of Bore To Bottom Of Keyway: |
| 0.844 inches |
| V Groove Angle In Deg: |
| 34.0 |
| Pitch Diameter: |
| 5.250 inches |
| Securing Hole Quantity: |
| 2 |
| Material And Location: |
| Steel |
| Face Width: |
| 1.359 inches |
| Design Form: |
| Webbed |
| Bore Type: |
| Straight |
| Bearings: |
| Not included |
| Groove Quantity: |
| 2 |
| Counterbore Feature: |

Included

NSN 3020-00-411-2475

Groove Pulley - Page 2 of 2



| Counterbore Location: |
|---|
| Bb end |
| Hole Location: |
| 30 degrees cc from keyway and 180 degrees apart |
| Keying Facility: |
| Included |
| Keying Facility Type: |
| Keyway |
| Securing Method: |
| Threaded hole |
| Split Hub Feature: |
| Not included |
| Web/spoke Relationship To Face Centerline: |
| Offset |
| Lightening Hole: |
| Not included |
| Integral Cooling Vane: |
| Not included |
| Groove Shape: |
| V |
| Bore Feature: |
| Included |
| Protruding Hub Characteristic: |
| Plain |
| Securing Location: |
| Bb end |
| Hub End Outside Diameter And Location: |
| 2.500 inches aa end |
| Distance From Outside Flange/rim To Hub End And Location: |
| 1.000 inches aa end |
| Special Features: |
| Vibration damper included |
| Quantity: |
| 1 |
| Style Designator: |
| Webbed or spoked |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |

T353-a