NSN 3020-00-415-1707

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-415-1707

| Body Style: |
|---|
| Plain, solid |
| Attachment Method: |
| Mounting hole |
| Pitch Diameter: |
| 1.1250 inches |
| Teeth Quantity: |
| 108 |
| Mounting Hole Thread Series Designator: |
| Unc transversely through hub, first end |
| Mounting Hole Thready Qty Per Inch (tpi): |
| 40 transversely through hub, first end |
| Mounting Hole Type And Quantity: |
| 1 threaded transversely through hub, first end |
| Nominallength: |
| 0.281 inches |
| Tooth Form: |
| Standard |
| Pressure Angle: |
| 20.0000 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.188 inches first end |
| Face Width: |
| 0.094 inches |
| Bore Diameter: |
| 0.188 inches both ends |
| Hub Diameter: |
| 0.375 inches first end |
| Precision Classification: |
| Quality number 10 |
| Material: |
| Aluminum alloy 2024 |
| Material Specification: |
| Qq-a-225/6, t4 federal specification single material response |
| Style Designator: |
| Protruding hub |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

NSN 3020-00-415-1707 Spur Gear - Page 2 of 2

Fiig: A27300

