Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-420-0776

1 3 1	
Counterbore Diameter:	
7.000 inches	
Counterbore Depth:	
0.063 inches	
Outside Diameter:	
11.188 inches	
Overall Length:	
1.000 inches	
Bolt Circle Diameter:	
5.625 inches	
Bore Diameter:	
Between 4.625 inches and 4.629 inches	
Bore Length:	
1.000 inches	
Drilled Hole Diameter:	
0.531 inches	
Pitch Diameter:	
10.570 inches	
Securing Hole Quantity:	
6	
Face Width:	
0.875 inches	
Design Form:	
Plain	
Bore Type:	
Straight	
Counterbore Feature:	
Included	
Counterbore Location:	
Aa end	
Hole Location:	
Equally spaced	
Keying Facility:	
Not included	
Securing Method:	
Drilled hole	
Lightening Hole:	
Not included	
Protruding Hub Characteristic:	
Plain	
Securing Location:	
Aa end	

NSN 3020-00-420-0776

Sprocket Wheel - Page 2 of 2

1

20

Plain

N/a

--

No Fiig:



Belt/chain/film Size For Which Designed: Roller chain **Roller Chain Pitch Type For Which Designed:** Single pitch **Teeth Row Quantity:** Teeth Quantity Per Row: Hardness Rating Test Method: Not rated **Bore Bearing:** Not included Hub External Keyway: Not included **Tooth Pitch:** 1.654 inches Hub End Outside Diameter And Location: 8.500 inches both ends Distance From Outside Flange/rim To Hub End And Location: 0.0625 inches both ends Material: Steel, fed standard no. 66, aisi 1020 or sae 1020 Material: Steel, fed standard no. 66, aisi 1020 or sae 1020 Style Designator: Shelf Life: Unit Of Measure: **Demilitarization:** T353-c