NSN 3020-00-421-7618

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-421-7618

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
8.4375 inches
Teeth Quantity:
270
Bore Style:
Plain both ends
Hardness Rating:
42.0 rockwell c and 45.0 rockwell c
Mounting Hole Type And Quantity:
2 plain transversely through hub, first end
Outside Diameter:
8.500 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.643 inches first end
Face Width:
0.515 inches
Bore Diameter:
7.750 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.111 inches first end
End Diameter:
7.937 inches first end
First Step Length:
0.532 inches first end
First Step Diameter:
8.125 inches first end
Mounting Hole Diameter:
0.125 inches transversely through hub, first end
Chariel Factures
Special Features:
Eight partially drilled holes on gear face, 0.164-32 unc equally spaced on 8.062 bolt circle dia. Holes are 0.469 in. Deep

Steel comp 440c

NSN 3020-00-421-7618

Spur Gear - Page 2 of 2

A27300

Mil-std (military Standard):

Mil-f-14072 spec.



Material Specification:
Qq-s-763 cl 440c federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072, finish e300 military specification single treatment response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: