## NSN 3020-00-424-8638

Groove Pulley - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-424-8638 **Groove Depth:** 0.437 inches **Groove Width:** 0.500 inches **Outside Diameter:** 5.000 inches **Overall Length:** 1.656 inches **Thread Size:** 5/16 - 18 **Bore Diameter:** Between 0.4365 inches and 0.4380 inches **Bore Length:** 0.875 inches V Groove Angle In Deg: 38.0 **Pitch Diameter:** 4.875 inches **Securing Hole Quantity: Furnished Items And Quantity:** One hex jam nut, one sq head dog point setscrew **Material And Location:** Iron **Face Width:** 0.750 inches **Design Form:** Webbed **Bore Type:** Straight Bearings: Not included **Groove Quantity: Counterbore Feature:** 

Not included **Hole Location:** 

In rim of hub

**Keying Facility:** Not included

**Securing Method:** 

Threaded hole

## **NSN 3020-00-424-8638** Groove Pulley - Page 2 of 2



Split Hub Feature:
Not included
Web/spoke Relationship To Face Centerline:
Offset
Lightening Hole:
Included
Integral Cooling Vane:
Not included
Groove Shape:
V
Standard V-belt Section Designation For Which Designed:
A
Bore Feature:
Included
Securing Location:
Aa end
Hub End Outside Diameter And Location:
0.875 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.906 inches aa end and 0.781 inches bb end
Style Designator:
Webbed or spoked
Fsc Application Data:
Fuel pump group, diesel engine
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-a