## NSN 3020-00-425-6386

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-425-6386

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
Between 0.8865 inches and 0.8875 inches
Teeth Quantity:
71
Bore Style:
Plain both ends
Mounting Hole Type And Quantity:
2 plain transversely through hub, first end
Outside Diameter:
0.911 inches
Nominallength:
0.212 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.150 inches first end
Face Width:
0.062 inches
Bore Diameter:
0.125 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.060 inches first end
End Diameter:
0.190 inches first end
First Step Length:
0.090 inches first end
First Step Diameter:
0.250 inches first end
Mounting Hole Diameter:
0.094 inches axially through body, first end
Bolt Hole Circle Diameter:
0.312 inches axially through body, first end
Material:
Aluminum alloy

## NSN 3020-00-425-6386

Spur Gear - Page 2 of 2



_	•		_	-		
<b>ن</b>	ırfa	$\sim$	I rc	nter	nor	٠.

Anodize

**Style Designator:** 

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300