

View Online at <https://aerobasegroup.com/nsn/3020-00-433-1521>

**Outside Diameter:**

15.000 inches

**Overall Length:**

6.000 inches

**Keyway Width:**

0.750 inches

**Thread Size:**

3/4 in.-10

**Bore Diameter:**

Between 3.439 inches and 3.441 inches

**Bore Length:**

6.000 inches

**Distance From Center Of Bore To Bottom Of Keyway:**

2.095 inches and 2.032 inches

**Pitch Diameter:**

13.830 inches

**Securing Hole Quantity:**

1

**Face Width:**

1.250 inches

**Design Form:**

Plain

**Bore Type:**

Straight

**Counterbore Feature:**

Not included

**Hole Location:**

Located on bottom of keyway 1.500 in. From hub end

**Keying Facility:**

Included

**Keying Facility Type:**

Tapered keyway

**Securing Method:**

Threaded hole

**Lightening Hole:**

Not included

**Keying Facility Largest Dimension Location:**

Bb end

**Protruding Hub Characteristic:**

Plain

**Securing Location:**

Aa end

**Belt/chain/film Size For Which Designed:**

Roller chain

**Roller Chain Pitch Type For Which Designed:**

Single pitch

**Teeth Row Quantity:**

1

**Teeth Quantity Per Row:**

7

**Hardness Rating Test Method:**

Not rated

**Bore Bearing:**

Not included

**Hub External Keyway:**

Not included

**Tooth Pitch:**

3.000 inches

**Hub End Outside Diameter And Location:**

5.500 inches both ends

**Distance From Outside Flange/rim To Hub End And Location:**

3.000 inches aa end and 1.750 inches bb end

**Material:**

Steel, fed standard no. 66, aisi or sae 1045

**Material:**

Steel, fed standard no. 66, aisi or sae 1045

**Quantity:**

1

**Style Designator:**

Plain

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T353-c