NSN 3020-00-433-1521

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-433-1521

Outside Diameter:
15.000 inches
Overall Length:

6.000 inches

Keyway Width:

0.750 inches

Thread Size:

3/4 in.-10

Bore Diameter:

Between 3.439 inches and 3.441 inches

Bore Length:

6.000 inches

Distance From Center Of Bore To Bottom Of Keyway:

2.095 inches and 2.032 inches

Pitch Diameter:

13.830 inches

Securing Hole Quantity:

1

Face Width:

1.250 inches

Design Form:

Plain

Bore Type:

Straight

Counterbore Feature:

Not included

Hole Location:

Located on bottom of keyway 1.500 in. From hub end

Keying Facility:

Included

Keying Facility Type:

Tapered keyway

Securing Method:

Threaded hole

Lightening Hole:

Not included

Keying Facility Largest Dimension Location:

Bb end

Protruding Hub Characteristic:

Plain

Securing Location:

Aa end

NSN 3020-00-433-1521

Sprocket Wheel - Page 2 of 2



Belt/chain/film Size For Which Designed: Roller chain **Roller Chain Pitch Type For Which Designed:** Single pitch **Teeth Row Quantity:** 1 Teeth Quantity Per Row: 7 Hardness Rating Test Method: Not rated **Bore Bearing:** Not included Hub External Keyway: Not included **Tooth Pitch:** 3.000 inches Hub End Outside Diameter And Location: 5.500 inches both ends Distance From Outside Flange/rim To Hub End And Location: 3.000 inches aa end and 1.750 inches bb end Material: Steel, fed standard no. 66, aisi or sae 1045 Material: Steel, fed standard no. 66, aisi or sae 1045 Quantity: 1 Style Designator: Plain Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: T353-c