

NSN 3020-00-434-4367 Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-434-4367 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 0.6743 inches and 0.6750 inches **Teeth Quantity:** 81 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.690 inches Nominallength: 0.437 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:**

0.187 inches

Bore Diameter:

0.250 inches both ends

Hub Style Designator:Pinned first end

Hub Diameter:

0.500 inches first end

Precision Classification:

Quality number 12

Material:

Steel comp 303

Material Specification:

Qq-s-764, type 303, cond a federal specification single material response

NSN 3020-00-434-4367

Spur Gear - Page 2 of 2



$\overline{}$			-			
<u>ن</u>	irto	2	Iro	atn	าคท	

Passivate

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300