## NSN 3020-00-437-5872

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-437-5872

Attachment Method:
Mounting hole
Pitch Diameter:
0.7500 inches
Teeth Quantity:
144
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
56 transversely through hub, first end
Mounting Hole Thread Size:
0.086 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
0.7708 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.125 inches first end
Face Width:
0.092 inches
Bore Diameter:
0.253 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.406 inches first end
Material:
Steel comp 303 body
Material Specification:
Aisi 303/sae 30303 federal standard single material response
Surface Treatment:
Passivate
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 3020-00-437-5872

Spur Antibacklash Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300