NSN 3020-00-439-8365

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-439-8365

Attachment Method:
Mounting hole
Pitch Diameter:
2.7776 inches
Teeth Quantity:
200
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thread Size:
0.138 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 threaded transversely through hub, first end
Outside Diameter:
2.806 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.281 inches first end
Face Width:
0.104 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Threaded second end
Hub Diameter:
0.500 inches first end
Precision Classification:
Quality number 10
Material:
Steel comp 303 spring
Material Specification:
Qq-s-764 federal specification single material response spring
Surface Treatment:
Passivate spring
Surface Treatment Specification:
Qq-p-35, type ii federal specification single treatment response spring
Style Designator:
Protruding hubs

NSN 3020-00-439-8365

Spur Antibacklash Gear - Page 2 of 2



Furnished Items And Quantity:

2 setscrew

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.