NSN 3020-00-444-2616



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-444-2616 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.2500 inches **Teeth Quantity:** 16 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Hardness Rating:** 84.0 rockwell superficial 30-n teeth **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.287 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.216 inches first end **Face Width:** 0.252 inches **Bore Diameter:** 0.120 inches both ends **Hub Style Designator:** 1 groove first end **Hub Diameter:** 0.250 inches first end **First Groove Width:** 0.062 inches first end **First Groove Diameter:** 0.203 inches first end **Distance From End To First Groove:** 0.154 inches first end

Material:

Steel uns k24065

NSN 3020-00-444-2616

Spur Gear - Page 2 of 2

Mil-std (military Standard):

Mil-s-6709 spec.



Material Specification:
Mil-s-6709 military specification single material response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300