NSN 3020-00-445-0078

Spur Gear - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/3020-00-445-0078

Body Style:

Plain, solid

Attachment Method:

Clamp

Pitch Diameter:

Between 1.1865 inches and 1.1875 inches

Teeth Quantity:

76

Bore Style:

Plain both ends

Backlash Designation:

Grade d

Outside Diameter:

1.215 inches

Nominallength:

0.390 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.246 inches first end

Face Width:

0.055 inches

Bore Diameter:

0.125 inches both ends

Hub Style Designator:

2 steps first end

Hub Diameter:

0.187 inches second end

End Length:

0.176 inches first end

Precision Classification:

Quality number 10 or quality number 11

End Diameter:

0.187 inches first end

First Step Length:

0.035 inches first end

First Step Diameter:

0.251 inches first end

Second Step Length:

0.035 inches first end



NSN 3020-00-445-0078 Spur Gear - Page 2 of 2



Second Step Diameter:
0.312 inches first end
First Groove Width:
0.018 inches second end
First Groove Diameter:
0.175 inches second end
Distance From End To First Groove:
0.019 inches second end
Special Features:
First end hub is grooved and split
Material:
Steel comp 416 hub
Material Specification:
Qq-s-764 federal specification single material response hub
Surface Treatment:
Passivate hub
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A27300