NSN 3020-00-445-0078

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-445-0078

Body Style:
Plain, solid
Attachment Method:
Clamp
Pitch Diameter:
Between 1.1865 inches and 1.1875 inches
Teeth Quantity:
76
Bore Style:
Plain both ends
Backlash Designation:
Grade d
Outside Diameter:
1.215 inches
Nominallength:
0.390 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.246 inches first end
Face Width:
0.055 inches
Bore Diameter:
0.125 inches both ends
Hub Style Designator:
2 steps first end
Hub Diameter:
0.187 inches second end
End Length:
0.176 inches first end
Precision Classification:
Quality number 10 or quality number 11
End Diameter:
0.187 inches first end
First Step Length:
0.035 inches first end
First Step Diameter:
0.251 inches first end
Second Step Length:

0.035 inches first end

NSN 3020-00-445-0078 Spur Gear - Page 2 of 2



Second Step Diameter:
0.312 inches first end
First Groove Width:
0.018 inches second end
First Groove Diameter:
0.175 inches second end
Distance From End To First Groove:
0.019 inches second end
Special Features:
First end hub is grooved and split
Material:
Steel comp 416 hub
Material Specification:
Qq-s-764 federal specification single material response hub
Surface Treatment:
Passivate hub
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300