

View Online at <https://aerobasegroup.com/nsn/3020-00-457-6318>

Groove Depth:

0.925 inches

Groove Width:

0.875 inches

Outside Diameter:

9.500 inches

Overall Length:

4.602 inches

Keyway Width:

0.375 inches

Thread Size:

0.375-16

Bore Diameter:

1.925 inches

Bore Length:

3.597 inches

Distance From Center Of Bore To Bottom Of Keyway:

1.037 inches

V Groove Angle In Deg:

30.0

Securing Hole Quantity:

6

Material And Location:

Steel

Face Width:

2.280 inches

Design Form:

Spoked

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

2

Counterbore Feature:

Not included

Hole Location:

Bolt holes located opposite hub end spaced 60 degrees apart on 3.750 in. Bolt circle diameter

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Threaded hole

Split Hub Feature:

Included

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Protruding Hub Characteristic:

Stepped

Hub Split Location:

Through one wall

Clamping Bolt Quantity:

6

Securing Location:

Opposite hub end

Hub End Outside Diameter And Location:

4.250 inches aa end

Distance From Outside Flange/rim To Hub End And Location:

1.925 inches aa end

First Step Face Largest Diameter And Location:

3.316 inches aa end

First Step Length And Location:

1.495 inches aa end

Second Step Length And Location:

0.430 inches aa end

Hub End Outside Diameter And Location:

2.625 inches aa end

Quantity:

1

Style Designator:

Webbed or spoked

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a