## NSN 3020-00-468-3391



Helical Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-468-3391 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 1.9840 inches and 1.9880 inches **Teeth Quantity:** 90 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 plain transversely through hub, first end and 1 threaded transversely through hub, first end **Outside Diameter:** 2.018 inches **Teeth Type:** Single helix **Tooth Form:** Standard **Tooth Direction:** Right **Pressure Angle:** 14.5000 degrees **Helix Angle:** 45.0000 degrees Distance Between Body Face And Protruding Hub End: 0.266 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.188 inches both ends **Hub Style Designator:** 1 step first end End Length: 0.016 inches first end **End Diameter:** 

0.313 inches first end First Step Length: 0.250 inches first end

## **NSN 3020-00-468-3391** Helical Gear - Page 2 of 2



First Step Diameter:
0.500 inches first end
Mounting Hole Diameter:
0.062 inches transversely through hub, first end
Special Features:
Mtg holes centered 0.141 in. From end of hub, 90 degs apart
Material:
Copper alloy 360
Material Specification:
Astm b16, 1/2h assn standard single material response
Style Designator:
Protruding hub
Furnished Items And Quantity:
1 setscrew
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
A27300