## NSN 3020-00-470-2615

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-470-2615

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.7500 inches
Teeth Quantity:
24
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Hardness Rating:
57.0 rockwell c and 60.0 rockwell c
Mounting Hole Thread Size:
0.138 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 plain transversely through hub, first end and 1 threaded transversely through hub, first end
Outside Diameter:
0.812 inches
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.500 inches first end
Face Width:
0.750 inches
Bore Diameter:
0.500 inches both ends
Hub Style Designator:
1 groove first end
Hub Diameter:
0.750 inches first end
First Groove Width:
0.125 inches first end
First Groove Diameter:
0.688 inches first end
Distance From End To First Groove:
0.375 inches first end
Mounting Hole Diameter:
0.157 inches transversely through hub, first end
Material:

wateriai.

Steel comp 440c

## NSN 3020-00-470-2615

Spur Gear - Page 2 of 2

**Fiig:** A27300



Material Specification:
Qq-s-763 federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No