

NSN 3020-00-474-4025 Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-474-4025 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.5000 inches **Teeth Quantity:** 72 **Bore Style:** W/counterbore counter bore, second end **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.164 inches transversely through hub, first end **Mounting Hole Type And Quantity:**

1 threaded transversely through hub, first end

Outside Diameter:

1.542 inches

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.412 inches first end

Face Width:

0.141 inches

Bore Diameter:

0.250 inches counter bore, second end

Counterbore Depth:

0.234 inches counter bore, second end

Counterbore Diameter:

0.875 inches counter bore, second end

Hub Style Designator:

1 step first end

End Length:

0.234 inches first end

End Diameter:

0.500 inches first end

First Step Length:

0.188 inches first end

First Step Diameter:

1.125 inches first end

Material:

Copper alloy 230

NSN 3020-00-474-4025

Spur Gear - Page 2 of 2



M	late	rial	Sp	ecif	icat	ion:
			~	••••		. •

Qq-b-626, 1/2h federal specification single material response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A27300