NSN 3020-00-477-5738

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-477-5738

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
Between 0.3896 inches and 0.3906 inches
Teeth Quantity:
25
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thread Size:
0.112 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
0.421 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
20.0000 degrees Distance Between Body Face And Protruding Hub End:
·
Distance Between Body Face And Protruding Hub End:
Distance Between Body Face And Protruding Hub End: 0.219 inches first end
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width:
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter:
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter: 0.187 inches both ends
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter: 0.187 inches both ends Hub Style Designator:
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter: 0.187 inches both ends Hub Style Designator: Plain first end
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter: 0.187 inches both ends Hub Style Designator: Plain first end Hub Diameter:
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter: 0.187 inches both ends Hub Style Designator: Plain first end Hub Diameter: 0.375 inches first end
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter: 0.187 inches both ends Hub Style Designator: Plain first end Hub Diameter: 0.375 inches first end Material:
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter: 0.187 inches both ends Hub Style Designator: Plain first end Hub Diameter: 0.375 inches first end Material: Aluminum alloy 2024
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter: 0.187 inches both ends Hub Style Designator: Plain first end Hub Diameter: 0.375 inches first end Material: Aluminum alloy 2024 Material Specification:
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter: 0.187 inches both ends Hub Style Designator: Plain first end Hub Diameter: 0.375 inches first end Material: Aluminum alloy 2024 Material Specification: Qq-a-225/6, t4 federal specification single material response
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter: 0.187 inches both ends Hub Style Designator: Plain first end Hub Diameter: 0.375 inches first end Material: Aluminum alloy 2024 Material Specification: Qq-a-225/6, t4 federal specification single material response Surface Treatment:
Distance Between Body Face And Protruding Hub End: 0.219 inches first end Face Width: 0.125 inches Bore Diameter: 0.187 inches both ends Hub Style Designator: Plain first end Hub Diameter: 0.375 inches first end Material: Aluminum alloy 2024 Material Specification: Qq-a-225/6, t4 federal specification single material response Surface Treatment: Anodize

Protruding hub

NSN 3020-00-477-5738

Spur Gear - Page 2 of 2



N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

Mil-a-8625 spec.

A27300

Shelf Life: