NSN 3020-00-483-8353

Sprocket Wheel - Page 1 of 2

Plain



View Online at https://aerobasegroup.com/nsn/3020-00-483-8353

Outside Diameter:
3.582 inches
Overall Length:
1.480 inches
Bore Diameter:
0.6563 inches
Bore Length:
1.480 inches
Pitch Diameter:
0.6875 inches
Face Width:
0.275 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Not included
Lightening Hole:
Not included
Teeth Row Quantity:
1
Teeth Quantity Per Row:
22
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Tooth Pitch:
0.500 inches
Hub End Outside Diameter And Location:
0.813 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
1.205 inches both ends
Special Features:
Material is per astm a331, type 4340 or 4140, cold finished, cond. Optional, 0.15-0.35 percent lead permitted; surface roughness=125.000
microinches; manganese phosphate, mil-p-16232, type m, class 1 or zinc phosphate, mil-p-16232, type z, class 1; pressure angle=30.0
deg.; max. Effective width space=0.0504 in.; form dia.=0.7125 in.
Material:
Steel
Material:
Steel
Style Designator:

NSN 3020-00-483-8353

Sprocket Wheel - Page 2 of 2



She	lf I	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

Т353-с