## NSN 3020-00-484-1866

View Online at https://aerobasegroup.com/nsn/3020-00-484-1866

Spur Gear - Page 1 of 2

**Style Designator:** Protruding hub



**Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 10.8740 inches and 10.8750 inches **Teeth Quantity:** 522 **Bore Style:** Plain both ends **Mounting Hole Type And Quantity:** 6 threaded axially through hub, first end **Outside Diameter:** 10.915 inches Nominallength: 0.375 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.125 inches first end **Face Width:** 0.250 inches **Bore Diameter:** 7.576 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 8.875 inches first end **Mounting Hole Diameter:** 0.272 inches axially through hub, first end **Bolt Hole Circle Diameter:** 8.375 inches axially through hub, first end Material: Steel comp 1040 **Material Specification:** 66 federal standard single material response and aisi/sae 1040 assn standard single material response **Surface Treatment:** Nickel

## NSN 3020-00-484-1866

Spur Gear - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300