## NSN 3020-00-485-9319

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-485-9319 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 0.3879 inches and 0.3889 inches **Teeth Quantity:** 28 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through flange **Mounting Hole Thread Size:** 0.112 inches transversely through flange **Mounting Hole Type And Quantity:** 2 threaded transversely through flange **Outside Diameter:** 0.415 inches **Tooth Form:** Standard Flange Diameter: 0.500 inches **Pressure Angle:** 20.0000 degrees Flange Thickness: 0.250 inches **Face Width:** 0.125 inches **Bore Diameter:** 0.250 inches both ends **Distance Between Outer Body Face And Inner Flange Face:** 0.315 inches **Hub Style Designator:** Plain first end **Hub Diameter:** 0.350 inches first end **Precision Classification:** Quality number 10 Material:

Steel comp 303

**Material Specification:** 

Qq-s-764, cond a federal specification single material response

## NSN 3020-00-485-9319

Spur Gear - Page 2 of 2



_	•	-	_	-		
<u>ن</u>	ırfa	$\sim$	IrΩ	2tn	าคท	

Passivate

Style Designator:

Flanged end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300