NSN 3020-00-491-6458

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-491-6458

view Offilitie at https://aerobasegroup.com/hsh/5020-00-451-040
Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
Between 0.6243 inches and 0.6250 inches
Teeth Quantity:
60
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Mounting Hole Thread Series Designator:
Unf transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
72 transversely through hub, first end
Mounting Hole Thread Size:
0.073 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 threaded transversely through hub, first end
Outside Diameter:
0.645 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.125 inches first end
Face Width:
0.062 inches
Bore Diameter:
0.090 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.250 inches first end
Precision Classification:
Quality number 12
Special Features:
Mtg holes spaced 90 degrees apart
Material:

Steel comp 303

NSN 3020-00-491-6458

Spur Gear - Page 2 of 2

Fiig: A27300



Material Specification:
Qq-s-764, cond b federal specification single material response
Surface Treatment:
Passivate
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No