NSN 3020-00-493-8026

Spur Gear Sector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-493-8026 **Attachment Method:** Mounting hole **Teeth Quantity:** 80 **Bore Style:** Plain both ends Pitch Radius: 1.1250 inches **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Tooth Form:** Stub **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.1000 inches first end **Face Width:** 0.300 inches **Bore Diameter:** 0.375 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.7500 inches first end **Outside Radius:** 1.2815 inches **Precision Classification:** Quality number 12 Arc Length: 3.1313 inches

Material:

Aluminum alloy

Material Specification:

Qq-a-225/6, alloy 2024, t351 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 type 1 class 1 military specification single treatment response

NSN 3020-00-493-8026

Spur Gear Sector - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
 Demilitarization:
Demilitarization: Yes - demil/mli

Mil-std (military Standard):

Mil-a-8625 spec.