NSN 3020-00-493-8492

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-493-8492

Body Style:		
Plain, solid		
Attachment Method:		
Mounting hole		
Pitch Diameter:		
0.5000 inches		
Teeth Quantity:		
48		
Bore Style:		
Plain both ends		
Mounting Hole Thread Series Designator:		
Unc transversely through hub, first end		
Mounting Hole Thready Qty Per Inch (tpi):		
40 transversely through hub, first end		
Mounting Hole Thread Size:		
0.112 inches transversely through hub, first end		
Mounting Hole Type And Quantity:		
1 threaded transversely through hub, first end		
Outside Diameter:		
0.519 inches		
Tooth Form:		
Standard		
Pressure Angle:		
20.0000 degrees		
Distance Between Body Face And Protruding Hub End:		
0.187 inches first end		
Face Width:		
0.094 inches		
Bore Diameter:		
0.188 inches both ends		
Hub Style Designator:		
Pinned first end		
Hub Diameter:		
0.310 inches first end		
Precision Classification:		
Quality number 10 or quality number 11		
Material:		
Aluminum alloy 2024		
Material Specification:		
Qq-a-225/6, t4 federal specification single material response		
Surface Treatment:		

Anodize

NSN 3020-00-493-8492

Spur Gear - Page 2 of 2



Surface	Treatment	Specification:
---------	------------------	----------------

Mil-a-8625, type 1 military specification single treatment response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.