NSN 3020-00-495-9689

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-495-9689

| Body Style: |
|--|
| Plain, solid |
| Pitch Diameter: |
| Between 2.6990 inches and 2.7000 inches |
| Teeth Quantity: |
| 216 |
| Bore Style: |
| W/ keyway both ends |
| Outside Diameter: |
| 2.723 inches |
| Nominallength: |
| 0.156 inches |
| Tooth Form: |
| Standard |
| Pressure Angle: |
| 20.0000 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.031 inches both ends |
| Face Width: |
| 0.094 inches |
| Bore Diameter: |
| 1.641 inches both ends |
| Keyway Width: |
| 0.064 inches both ends |
| Distance From Bore Center To Keyway Bottom: |
| 0.945 inches both ends |
| Hub Style Designator: |
| Plain both ends |
| Hub Diameter: |
| 2.644 inches both ends |
| Material: |
| Aluminum alloy 6061 |
| Material Specification: |
| Qq-a-250/11, t6 federal specification single material response |
| Surface Treatment: |
| Anodize |
| Style Designator: |
| Protruding hubs |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 3020-00-495-9689

Spur Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300