## NSN 3020-00-501-7298

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-501-7298 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.6250 inches **Teeth Quantity:** 40 **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end **Outside Diameter:** 0.656 inches Nominallength: 0.290 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.197 inches first end **Face Width:** 0.093 inches **Bore Diameter:** 0.250 inches both ends **Hub Diameter:** 0.500 inches first end **Precision Classification:** Quality number 12 Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303, cond a federal specification single material response **Surface Treatment: Style Designator:** 

**Passivate** Protruding hub Shelf Life: N/a

## NSN 3020-00-501-7298

Spur Gear - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A27300