## NSN 3020-00-503-7203



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-503-7203 **Body Style:** Plain, solid **Attachment Method:** Clamp Pitch Diameter: 0.8333 inches **Teeth Quantity:** 60 **Bore Style:** Plain both ends **Outside Diameter:** 0.8600 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.2810 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.2502 inches both ends **Hub Style Designator:** Split first end **Hub Diameter:** 0.3120 inches first end **Clamping Surface Length:** 0.250 inches first end **Precision Classification:** Quality number 12 First Step Length: 0.2500 inches first end Material: Aluminum alloy 2024 **Material Specification:** Qq-a-250/4 t4 federal specification single material response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, ty2, cl 1 military specification single treatment response

**Style Designator:** 

Protruding hub

## NSN 3020-00-503-7203

Spur Gear - Page 2 of 2



N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.