NSN 3020-00-504-8773

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-504-8773 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 0.8427 inches and 0.8437 inches **Teeth Quantity:** 54 **Bore Style:** Plain first end **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end **Outside Diameter:** 0.874 inches Nominallength: 0.325 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.200 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.125 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 0.312 inches first end Material: Aluminum alloy 6061

Material Specification:

Qq-a-225/8, t6 federal specification single material response

Style Designator:

Protruding hub

NSN 3020-00-504-8773

Spur Gear - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300